TROUBLESHOOTING			
Problem	Possible cause	Solution	
No 'power on' lamp (green LED)	Machine not switched on	Switch on machine at the back and at the wall socket	
No 'ready' lamp after a long period (green LED)	Machine is in a hot or humid area	Move the machine to a cooler and dry area	
The 3mil or 5mil LED is flashing green	The laminator has gone in to Auto Shut Off mode	Press the ON/OFF switch. The machine will reset itself	
The 3mil/5mil/COLD have turned off	The laminator is in Auto Shut Off mode	Press the ON/OFF switch. The machine will reset itself	
Pouch is lost in the machine	Pouch is jammed	Press release lever and pull out the pouch from the entry slot by hand	
Jamming	Pouch was used 'open end' First		
	Pouch was not centered on entry		
	Pouch was not straight upon entry		
	Empty pouch was used		
Pouch is damaged after lamination	Damaged rollers or adhesive on rollers	Pass cleaning sheets through the machine to test and clean rollers	

#### WARRANTY

#### Staples, Brand Laminator Limited 1 Year Warranty

Staples Inc, ("Staples") warrants to the original purchaser that this Staples<sub>®</sub> brand laminator shall be free of defects in design, assembly, material, or workmanship for 1 year from the date of purchase, Staples will either replace any such product with the same or equivalent product free of charge or refund 100% of the purchase price at Staples' sole option. To claim your replacement or refund, contact product support at 1-800-425-0049. If replacement is necessary as determined by Staples, you will be required to pack the product and ship it (at your expense) with the original sales receipt to the address you are provided by product support. No product will be accepted without first obtaining a Return Authorization Number from product support. You are responsible for the proper packaging of the product, for any and all damage resulting from shipping, and for all shipping charges to return the product to Staples. This warranty does not apply to normal wear or damage from misuse, abuse, improper storage or handling, installation, accident, repair or alteration or ther circumstances not directly attributable to manufacturing or material defect.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHERS, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. STAPLES SPECIFICALLY DISCLAIM ANY AND ALL IMPLIED WARRANTIES. INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL STAPLES BE LIABLE FOR ANY INCIDENTAL, DIRECT, INDIRECT, SPECIAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES (SUCH AS BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS, BUSINESS, SAVINGS, DATA OR RECORDS) RELATED TO THIS PRODUCT.

This warranty gives you specific legal rights, and you may also have other rights that vary depending upon the state, province, territory or country. Some states, provinces and territories do not allow the exclusion or limitation of incidental or consequential damages or limitation on how long an implied warranty lasts.

Except as stated herein, no other warranties shall apply

#### **FCC STATEMENT**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation


Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help.

#### Help Line

**United States** 1-800-425-0049


# Staples.



#### **LAMINATOR**

MODEL: ST62538

Please read these instructions before use.



### FEATURES & TIPS



#### To remove or re-align a pouch during lamination, activate the release

lever located on the front of the machine. The pouch can only be removed from the entry slot when the lever is activated.




If no operation over 30 minutes, the machine will automatically go in to Auto Shut Off mode. The 3mil or 5mil Power LED will flash green for 5 minutes and then turn off. To continue using the machine press the ON/OFF switch. The machine will reset itself.

- This machine does not need a carrier to laminate. It is a carrier-free
- Always put the item to be laminated into the appropriate sized pouch
- Always test laminator with a similar size and thickness before final process. • Prepare pouch and item for lamination. Place item within pouch centered
- and touching the leading sealed edge. Ensure the pouch is not too large  $\bullet$  If required, trim excess material from around the item after lamination
- Always put item in a pouch. Never laminate an empty pouch.
- Trim excess pouch material from around your item after laminating and
- If using both hot and cold lamination in one session, use the cold setting first to avoid having to wait for the laminator to cool down.
- Before laminating valuable items, do a test run with an item similar in size and thickness
- Use a dry-erase marker for writing on laminated pouches.

#### **BEFORE YOU LAMINATE**

Select correct pouch size for laminated item.



Plug laminator into power outlet. Position laminator so you have enough space to allow items to pass freely through the machine.



Switch laminator on (ON).



#### **CAPABILITIES**

Pouch Thickness	3-5 mil
Estimated Heat-Up Time	3-5 Minutes
Approximate Cool-Down Time	60 Minutes
Lamination Speed	15.7" (40 cm)/Minute
Operating Temperature	25°C

Maximum Width	13"(330 mm)
Voltage	120V~
Frequency	60Hz
Power Consumption	400W
Altitude During Operation	≤2000m

## IMPORTANT SAFETY INSTRUCTIONS -Read Before Using!





- The socket-outlet shall be installed near the equipment and shall be easily accessible.
- To prevent electrical shock, do NOT use laminator close to water and do NOT spill water on laminator, electric cord, or wall socket.
- Do not leave electric cord in contact with a warm surface.
- Do not leave electric cord hanging from a cupboard or shelf. • Do not use laminator if electric cord is damaged.
- Do not laminate metal objects.
- Always supervise children during laminator operation.
- Keep pets away from laminator while in use.
- Switch off and unplug laminator when not in use.
- Do not open or attempt to repair the laminator yourself, as this could result in electric shock and will void your warranty. Contact Customer ervice if you have questions. Please note the warranty does not apply in cases of abuse, mishandling or unauthorized repair
- The power plug on the power supply cord is used as the disconnect device, the socket-outlet shall be easily accessible.

# STEPS FOR HOT LAMINATION



Power on default to COLD mode (LED light illuminates in green), press the function button to select 3 mil or 5 mil, the corresponding LED light flashes green and the warm-up phase begins. When a status LED lights up green continuously, the laminator is ready to operate.



Place item inside pouch against the sealed edge.



into laminator entry. Keep pouch straight and use the entry markings as a guide.




remove laminated item from front of machine. Let item cool on flat surface for several seconds

#### STEPS FOR COLD LAMINATION

CAUTION: Only use self-adhesive pouches when laminating with a cold setting.




Center item on clear side mode (LED light illuminates in against sealed edge; green), or press the Function documents cannot be Button to select COLD mode repositioned once laminated



Peel a small part of the protective sheet away from document.



Place pouch, sealed edge first, into laminator entry. Keep pouch straight and use the entry markings as a guide. Continue peeling the protective sheet away.



To prevent jamming. immediately, remove laminated item from front of machine